

# DFUSION MINI AIR

The best perimeter  
video analytics,  
now available by  
**subscription**

---

# Two detection engines to stop security breaches

The most cost-effective solution for small sites

Next generation AI-based technology

Total freedom when designing CCTV systems

# 01 \_

Choose your device  
to protect your small site

## DFUSION MINI AIR **4**

4 channel device



## DFUSION MINI AIR **8**

4 to 8 channel device



## DFUSION MINI AIR **24**

4 to 24 channel device



## 02 \_

### Choose the number of channels

Choose as many channels as you need in your installation

## 03 \_

### Make your monthly subscription without permanence

DFUSION MINI is so efficient that you will want to keep it forever, but you have the option to cancel the subscription



Scalable up to 24 channels



Free cancellation



Flexible with your needs



It can handle network outages




Upgradeable with the latest versions




Technical support included

# DFUSION MINI AIR 4

4 channel device



**01** • Power button **02** • USB 3.0 connections **03** • Audio input **04** • Audio output **05** • Display port **06** • RJ45 network connector 10/100/1000 **07** • USB 3.0 connections **08** • HDMI port **09** • Kensington security connector **10** • DC power connector




## Device I/O (optional)


**01** • 8 digital inputs  
**02** • Up to 8 outputs

# DFUSION MINI AIR 8

4 to 8 channel device



**01** • Power button **02** • USB 3.0 connections **03** • Audio input **04** • Audio output **05** • Display port **06** • RJ45 network connector 10/100/1000 **07** • USB 3.0 connections **08** • HDMI port **09** • Kensington security connector **10** • DC power connector




## Device I/O (optional)


**01** • 8 digital inputs  
**02** • Up to 8 outputs

# DFUSION MINI AIR 24

4 to 24 channel device



**01** - USB 3.0 connections **02** - Audio input **03** - Power button **04** - DC Power connector  
**05** - USB type C **06** - USB type C **07** - HDMI port **08** - RJ45 network connector  
10/100/1000 **09** - USB 3.0 connections **10** - HDMI port



## Device I/O (optional)

**01** - 8 digital inputs  
**02** - Up to 8 outputs

# Technical Specifications

DFUSION MINI	
Processor	INTEL
Memory (RAM)	DFUSION MINI AIR 4: 8 GB
	DFUSION MINI AIR 8: 8 GB
	DFUSION MINI AIR 24: 16 GB
Hard drive	NVMe (Solid State Drive)
Power supply	DC Power 12-19V, 65W (external power supply)
Power consumption	Approx. 30 W at full load
Environment operating temperature	0°C to +40°C
Storage Temperature	-20°C to +60°C
Housing	Ultra compact housing
Device dimensions	DFUSION MINI AIR 4: 135 x 31 x 115 mm / 5,3" x 1,2" x 4,5" (W x H x D)
	DFUSION MINI AIR 8: 135 x 31 x 115 mm / 5,3" x 1,2" x 4,5" (W x H x D)
	DFUSION MINI AIR 24: 115 x 31 x 110 mm / 4,5" x 1,2" x 4,3" (W x H x D)
Package dimensions	330 x 60 x 200 mm / 13" x 2,4" x 7,9" (W x H x D)
Package weight	1,5 kg
Environmental class	II (Indoor - General)
Weight	600 gr
Communication protocols	TCP/IP, SMTP, HTTP, HTTPS
Data protection	Digital signature
OPTIONAL	
Input activation signal	USB external device, 8 inputs
Relay outputs	USB external device, up to 8 outputs
Daview AMS	Alarm Management System for CMS with ClickThru™ technology

## Range table

### Day/night cameras

#### DFUSION MINI

	f (mm/inch)	Height (m/ft)	Sensor	HFOV (°)	Blind distance (m/yd)	Distance (m/yd)
Standard view	3/0,12	4/13	(1/3)"	81°	3/3,3	27/29,5
	10/0,4	4/13	(1/3)"	29°	13/14,2	70/76,5



**DAVANTIS TECHNOLOGIES SL**

Barcelona · Spain  
Madrid · Spain  
Nice · France  
Luedinghausen · Germany  
Bogota · Colombia  
Singapore

**DAVANTIS TECHNOLOGIES INC**

Washington DC · USA

T | +34 932 203 333

[info@davantis.com](mailto:info@davantis.com)  
[www.davantis.com](http://www.davantis.com)

